WHAT IS CLAIMED IS:

1. A compound of structural formula I:

$$R^3$$
 N
 R^4
 N
 R^1

(I)

5

or a pharmaceutically acceptable salt thereof, wherein:

R¹ is selected from:

- (1) hydrogen,
- (2) C_{1-10} alkyl,
- 10 (3) –ORa,
 - (4) -NRaRb,
 - (5) $-NR^bC(O)R^a$,
 - (6) $-CO_2R^a$,
 - (7) -C(O)NRaRb,
- 15 (8) cyano,
 - (9) -SRb, and
 - (10) $-SO_2R^b$;

R² is selected from:

- (1) hydrogen,
- 20 (2) C₁₋₁₀alkyl,
 - (3) -ORa,
 - (4) -NRaRb,
 - (5) -NRaC(O)Rb,
 - (6) -CO₂Ra,
- 25 (7) -C(O)NRaRb,
 - (8) cyano,
 - (9) -SRa, and
 - (10) $-SO_2R^a$;

R³ is selected from:

30 (1) aryl, and

(2) heteroaryl,

wherein each aryl and heteroaryl is optionally substituted with one to four substituents independently selected from Rg;

R⁴ is selected from:

- 5 (1) aryl, and
 - (2) heteroaryl,

wherein each aryl and heteroaryl is optionally substituted with one to four substituents independently selected from Rg;

each Ra is independently selected from:

- 10 (1) hydrogen,
 - (2) C₁₋₁₀alkyl,
 - (3) C₂₋₁₀ alkenyl,
 - (4) cycloalkyl,
 - (5) cycloalkyl-C₁₋₁₀alkyl;
- 15 (6) cycloheteroalkyl,
 - (7) cycloheteroalkyl-C₁₋₁₀ alkyl;
 - (8) aryl,
 - (9) heteroaryl,
 - (10) aryl-C₁₋₁₀alkyl, and
- 20 (11) heteroaryl-C₁₋₁₀alkyl; and

each R^b is independently selected from:

- (1) hydrogen,
- (2) C_{1-10} alkyl,
- (3) C_{2-10} alkenyl,
- 25 (4) cycloalkyl,
 - (5) cycloalkyl-C₁₋₁₀alkyl;
 - (6) cycloheteroalkyl,
 - (7) cycloheteroalkyl-C₁₋₁₀ alkyl;
 - (8) aryl,
- 30 (9) heteroaryl,

35

- (10) aryl-C₁₋₁₀alkyl, and
- (11) heteroaryl-C₁₋₁₀alkyl, or

Ra and Rb together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-Rd,

each Ra and Rb may be unsubstituted or substituted with one to three substituents selected from Rc:

each R^C is independently selected from:

- (1) C₁₋₁₀alkyl,
- 5 (2) -ORd,
 - (3) $-NReS(O)_mRd$,
 - (4) halogen,
 - (5) -SRd,
 - (6) $-S(O)_mNR^dR^e$,
- 10 (7) -NRdRe,
 - (8) -C(O)Rd
 - (9) -CO₂Rd,
 - (10) -CN,
 - (11) -C(O)NRdRe,
- 15 (12) -NReC(O)Rd,
 - (13) -NReC(O)ORde,
 - (14) -NReC(O)NRdRe,
 - (15) -CF₃,
 - (16) -OCF₃,
- 20 (17) cycloheteroalkyl,
 - (18) aryl,
 - (19) arylC₁₋₄alkyl,
 - (20) heteroaryl, and
 - (21) heteroarylC₁.4alkyl;
- 25 Rd and Re are independently selected from:
 - (1) hydrogen,
 - (2) C₁₋₁₀alkyl,
 - (3) C₂₋₁₀ alkenyl,
 - (4) cycloalkyl,
- 30 (5) cycloalkyl-C₁₋₁₀alkyl;
 - (6) cycloheteroalkyl,
 - (7) cycloheteroalkyl-C₁₋₁₀ alkyl;
 - (8) aryl,
 - (9) heteroaryl,
- 35 (10) aryl-C₁₋₁₀alkyl, and

2 6

(11) heteroaryl-C₁₋₁₀alkyl, or

Rd and Re together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-Rf,

each Rd and Re may be unsubstituted or substituted with one to three substituents selected from Rf;

Rf is independently selected from:

- (1) halogen,
- (2) C₁₋₁₀alkyl,
- (3) -O-C₁₋₄alkyl,
- (4) -S-C₁-4alkyl,
- (5) -CN,

10

20

30

- (6) -CF3, and
- (7) -OCF3;
- each Rg is independently selected from:
 - (1) halogen,
 - (2) C₁₋₁₀alkyl,
 - (3) -O-C₁₋₄alkyl,
 - (4) -S-C₁₋₄alkyl,
 - (5) -CN,
 - (6) -CF3, and
 - (7) -OCF3; and

m is selected from 1 and 2.

- 25 2. The compound according to Claim 1, wherein: R³ and R⁴ are each independently selected from:
 - (1) phenyl,
 - (2) pyridyl,

wherein each phenyl and pyridyl is optionally substituted with one to three substituents independently selected from Rg;

and pharmaceutically acceptable salts thereof.

3. The compound according to Claim 1, wherein \mathbb{R}^3 and \mathbb{R}^4 are each independently selected from:

$$\begin{array}{c}
(1) \\
 \hline
 R^{g}
\end{array}$$

$$\begin{array}{c}
(4) \\
N
\end{array}$$

$$\begin{array}{c}
R^{g} \\
\vdots \\
R^{g}
\end{array}$$

and pharmaceutically acceptable salts thereof.

10

15

20

25

5

4. The compound according to Claim 1, wherein:

R¹ is selected from:

- (1) C₁₋₆alkyl,
- (2) -OH,
- (3) -OC1-6alkyl, unsubstituted or substituted with one to three Rc substituents,
- (4) cycloalkyloxy-, unsubstituted or substituted with one to three R^c substituents,
- (5) cycloalkyl-C₁_4alkyloxy-, unsubstituted or substituted with one to three R^c substituents,
- (6) cycloheteroalkyloxy-, unsubstituted or substituted with one to three Rc substituents,
- (7) cycloheteroalkyl-C₁₋₄ alkyloxy, unsubstituted or substituted with one to three R^c substituents,
- (8) phenyloxy, unsubstituted or substituted with one to three R^c substituents,
- (9) heteroaryloxy, unsubstituted or substituted with one to three R^c substituents,
- (10) phenyl-C₁-4alkyloxy, unsubstituted or substituted with one to three R^c substituents,
- (11) heteroaryl-C₁-4alkyloxy, unsubstituted or substituted with one to three R^c substituents,

- (12) -NRaRb,
- (13) -NRbC(O)Ra,
- (14) -CO₂H,

5

10

15

20

25

30

35

- (15) C₁₋₆alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
- (16) cycloalkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
- (17) cycloalkyl-C₁-4alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
- (18) phenyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
- (19) heteroaryloxycarbonyl, unsubstituted or substituted with one to three R^c substituents.
- (20) phenyl-C₁₋₄alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents.
- (21) heteroaryl-C₁-4alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
- (22) -C(O)NRaRb,
- (23) cyano,
- (24) -SC1-6alkyl, unsubstituted or substituted with one to three Rc substituents,
- (25) -SO₂C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents; and

Ra and Rb are each selected from:

- (1) hydrogen,
- (2) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,
- (3) cycloalkyl, unsubstituted or substituted with one to three R^c substituents,
 - (4) cycloalkyl-C₁₋₄alkyl, unsubstituted or substituted with one to three R^c substituents,
 - (5) phenyl, unsubstituted or substituted with one to three Rc substituents,
 - (6) heteroaryl, unsubstituted or substituted with one to three R^c substituents,
 - (7) phenyl-C₁₋₄alkyl, unsubstituted or substituted with one to three R^c substituents, or
 - (8) heteroaryl-C₁₋₄alkyl, unsubstituted or substituted with one to three R^c substituents,

when bonded to nitrogen, R^a and R^b together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-R^d, unsubstituted or substituted on carbon with one to three R^c substitutents;

and pharmaceutically acceptable salts thereof.

5. The compound according to Claim 4, wherein R^1 is selected from:

- (1) C₁₋₆alkyl,
- 5 (2) –OH,

10

20

25

- (3) -OC1-6alkyl, unsubstituted or substituted with one to three Rc substituents,
- (4) C4-7cycloalkyloxy-, unsubstituted or substituted with one to two Rc substituents,
- (5) cycloalkyl-C₁₋₃alkyloxy-, unsubstituted or substituted with one to two R^c substituents,
- (6) phenyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (7) pyridyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (8) phenyl-C₁-3alkyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (9) pyridyl-C₁₋₃alkyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (10) -NRaRb, wherein:

Ra is selected from:

- (a) hydrogen,
- (b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,
- (c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,
- (d) cycloalkyl-C₁₋₄alkyl, unsubstituted or substituted with one to two R^c substituents,
- (e) phenyl, unsubstituted or substituted with one to two R^c substituents,
- (f) heteroaryl, unsubstituted or substituted with one to two R^c substituents,
- (g) benzyl, unsubstituted or substituted with one to two R^c substituents,

Rb is selected from:

(a) hydrogen,

(b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents, or

Ra and Rb together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members containing 0-2 additional heteroatoms independently selected from oxygen, sulfur and N-Rd, unsubstituted or substituted on carbon with one to two Rc substitutents,

(11) -NRbC(O)Ra, wherein:

Ra is selected from:

- (a) hydrogen,
- (b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,

X-- 13 BC1CC

35

- (c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,
 (d) cycloalkyl-C₁₋₄alkyl, unsubstituted or substituted with one to two R^c
 - substituents,
- (e) phenyl, unsubstituted or substituted with one to two R^c substituents,
- (f) pyridyl, unsubstituted or substituted with one to three R^c substituents,
- (g) benzyl, unsubstituted or substituted with one to two R^c substituents,
- (h) pyridylmethyl-, unsubstituted or substituted with one to three R^c substituents,

Rb is selected from:

10 (a) hydrogen,

5

- (b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,
- (12) -CO₂H,
- (13) C₁₋₆alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
- 15 (14) -C(O)NRaRb, wherein:

Ra is selected from:

- (a) hydrogen,
- (b) C_{1-6} alkyl, unsubstituted or substituted with one to three R^c substituents,

Rb is selected from:

- 20 (a) hydrogen, and
 - (b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,
 - (15) cyano
 - (16) -SC1-6alkyl, unsubstituted or substituted with one to three Rc substituents, and
 - (17) -SO₂C₁-6alkyl, unsubstituted or substituted with one to three R^c substituents;
- 25 each R^c is independently selected from:
 - (1) C₁₋₃alkyl,
 - (2) hydroxy,
 - (3) -OC₁₋₃alkyl,
 - (4) halogen,
- 30 (5) –SCH₃,
 - (6) -SH,
 - (7) -NRdRe,
 - (8) $-C(O)C_{1-3}$ alkyl
 - (9) -CO₂C₁₋₃alkyl,
- 35 (10) -CO₂H,

- (11) -CN,
- (12) -CF3,
- (13) -OCF3,
- (14) cycloheteroalkyl,
- 5 (15) phenyl,

15

20

25

- (16) benzyl, and
- (17) pyridyl;

and pharmaceutically acceptable salts thereof.

- 10 6. The compound according to Claim 4, wherein R² is selected from:
 - (1) hydrogen,
 - (2) C₁₋₆alkyl,
 - (3) –OH,
 - (4) -OC1-6alkyl, unsubstituted or substituted with one to three R^c substituents,
 - (5) cycloalkyloxy-, unsubstituted or substituted with one to three R^c substituents,
 - (6) cycloalkyl-C₁₋₄alkyloxy-, unsubstituted or substituted with one to three R^c substituents,
 - (7) cycloheteroalkyloxy-, unsubstituted or substituted with one to three R^c substituents,
 - (8) cycloheteroalkyl-C₁₋₄ alkyloxy, unsubstituted or substituted with one to three R^c substituents,
 - (9) phenyloxy, unsubstituted or substituted with one to three R^c substituents,
 - (10) heteroaryloxy, unsubstituted or substituted with one to three Rc substituents,
 - (11) phenyl-C₁_4alkyloxy, unsubstituted or substituted with one to three R^c substituents,
 - (12) heteroaryl-C₁₋₄alkyloxy, unsubstituted or substituted with one to three R^c substituents,
 - (13) -NRaRb,
 - (14) -NRbC(O)Ra,
- 30 (15) -CO₂H,
 - (16) C₁₋₆alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,
 - (17) cycloalkyloxycarbonyl-, unsubstituted or substituted with one to three Rc substituents,

(18) cycloalkyl-C₁_4alkyloxycarbonyl-, unsubstituted or substituted with one to three R^c substituents,

- (19) phenyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
- (20) heteroaryloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
- (21) phenyl-C₁_4alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
- (22) heteroaryl-C₁_4alkyloxycarbonyl, unsubstituted or substituted with one to three R^c substituents,
- 10 (23) -C(O)NRaRb,

5

15

25

30

35

- (24) cyano,
- (25) -SC1-6alkyl, unsubstituted or substituted with one to three Rc substituents, and
- (26) —SO₂C₁-6alkyl, unsubstituted or substituted with one to three R^c substituents, and pharmaceutically acceptable salts thereof.

7. The compound according to Claim 1, wherein:

R² is selected from:

- (1) hydrogen,
- (2) C₁₋₆alkyl,
- 20 (3) –OH,
 - (4) -OC1-6alkyl, unsubstituted or substituted with one to three R^c substituents,
 - (5) C4-7cycloalkyloxy-, unsubstituted or substituted with one to two R^c substituents,
 - (6) C4-7cycloalkyl-C1-3alkyloxy-, unsubstituted or substituted with one to two R^c substituents,
 - (7) phenyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (8) pyridyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (9) phenyl-C₁₋₃alkyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (10) pyridyl-C₁-3alkyloxy, unsubstituted or substituted with one to two R^c substituents,
 - (11) -NRaRb, wherein:

Ra is selected from:

- (a) hydrogen,
- (b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,
- (c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,
- (d) cycloalkyl-C₁₋₄alkyl, unsubstituted or substituted with one to two R^c substituents,

- (e) phenyl, unsubstituted or substituted with one to two R^c substituents,
- (f) heteroaryl, unsubstituted or substituted with one to two R^c substituents,
- (g) benzyl, unsubstituted or substituted with one to two R^c substituents, R^b is selected from:
- (a) hydrogen,

5

10

15

20

25

30

(b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents, or

Ra and Rb together with the nitrogen atom to which they are attached form a bridged or unbridged heterocyclic ring of 4 to 7 members, unsubstituted or substituted on carbon with one to two R^c substitutents,

(12) -NHC(O)Ra, wherein:

Ra is selected from:

- (a) hydrogen,
- (b) C₁₋₆alkyl, unsubstituted or substituted with one to three R^c substituents,
- (c) cycloalkyl, unsubstituted or substituted with one to two R^c substituents,
- (d) cycloalkyl-C₁₋₄alkyl, unsubstituted or substituted with one to two R^c substituents,
- (e) phenyl, unsubstituted or substituted with one to two R^c substituents,
- (f) pyridyl, unsubstituted or substituted with one to three R^c substituents,
- (g) benzyl, unsubstituted or substituted with one to two R^c substituents,
- (h) pyridylmethyl-, unsubstituted or substituted with one to three R^c substituents,
- (13) cyano, and
- (14) -SO₂C₁-6alkyl, unsubstituted or substituted with one to three R^c substituents; and pharmaceutically acceptable salts thereof.
 - 8. The compound according to Claim 1, wherein:

R1 is selected from:

- (1) methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert.-butyl, n-pentyl, or 2,2-dimethylpropyloxy,
- (2) -OH,
- (3) methoxy, ethyloxy, isopropyloxy, n-butyloxy, sec-butyloxy, isobutyloxy, tert.-butyloxy, n-pentyloxy, or 2,2-dimethylpropyloxy, unsubstituted or substituted with one to three halo, hydroxy, or methoxy substituents,

(4) cyclopropyloxy, cyclobutyloxy, cyclopentyloxy, cyclohexyloxy, or cycloheptyloxy,

- (5) cyclopropylmethoxy, cyclobutylmethoxy, cyclopentylmethoxy, cyclohexylmethoxy, or cycloheptylmethoxy,
- (6) 4-fluorophenyloxy, 4-chlorophenyloxy, 4-methoxyphenyloxy, 3-fluorophenyloxy, 3-chlorophenyloxy, 3,4-difluorophenyloxy, 3,4-dichlorophenyloxy, 3,5-difluorophenyloxy, 3,5-dichlorophenyloxy, 3,5-dichlorophenyloxy,
- (7) 4-pyridyloxy, 3-pyridyloxy, 2-pyridyloxy, 6-chloro-3-pyridyloxy, or 5-chloro-3-pyridyloxy,
- 10 (8) benzyloxy, 3-fluorobenzyloxy, 3-chlorobenzyloxy, 4-fluorobenzyloxy, 4-chlorobenzyloxy, 3,4-difluorobenzyloxy, 3,4-dichlorobenzyloxy, 3,5-difluorobenzyloxy, 2,4-fluorobenzyloxy, 2,4-dichlorobenzyloxy, alpha-methyl-4-fluorobenzyloxy, alpha-methyl-4-chlorobenzyloxy, alpha-dimethyl-4-fluorobenzyloxy, or alpha,alpha-dimethyl-4-chlorobenzyloxy,
 - (9) 2-pyridylmethyloxy 3,-pyridylmethyloxy, or 4-pyridylmethyloxy,
 - (10) amino, N-methylamino, N,N-dimethyamino, N,N-diisopropylamino, or N(CH3)CH2CH2N(CH3)2, or N-containing heterocycloalkyl bonded via nitrogen selected from: morpholinyl, thiomorpholinyl, pyrrolidnyl, piperidinyl, and [2.2.1]azabicycloheptyl,
 - (11) -NHCORa wherein Ra is selected from:
 - (12) hydrogen,

5

20

30

35

- (13) C₁₋₄alkyl,
- (14) C4_6cycloalkyl, and
- 25 (15) phenyl, 4-fluorophenyl, 4-chlorophenyl, 3,4-difluorophenyl, or 3,4-dichlorophenyl,
 - (16) -CO₂H,
 - (17) $-C(O)NH_2$,
 - (18) -CN,
 - (19) -SCH₃, and
 - (20) -SO₂CH₃;

R² is selected from:

- (1) hydrogen,
- (2) methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert.-butyl, n-pentyl, or 2,2-dimethylpropyloxy,

(3) –OH,

5

10

15

20

- (4) methoxy, ethyloxy, isopropyloxy, n-butyloxy, sec-butyloxy, isobutyloxy, tert.butyloxy, n-pentyloxy, or 2,2-dimethylpropyloxy, unsubstituted or substituted with one to three halo, hydroxy, or methoxy substituents,
- (5) cyclopropyloxy, cyclobutyloxy, cyclopentyloxy, cyclohexyloxy, or cycloheptyloxy,
- (6) cyclopropylmethoxy, cyclobutylmethoxy, cyclopentylmethoxy, cyclohexylmethoxy, or cycloheptylmethoxy,
- (7) 4-fluorophenyloxy, 4-chlorophenyloxy, 3-fluorophenyloxy, 3-chlorophenyloxy, 3-cyanophenyloxy, 3,4-difluorophenyloxy, 3,4-dichlorophenyloxy, 3,5-difluorophenyloxy, or phenyloxy,
- (8) benzyloxy, 3-fluorobenzyloxy, 3-chlorobenzyloxy, 4-fluorobenzyloxy, 4-chlorobenzyloxy, 3,4-difluorobenzyloxy, 3,4-dichlorobenzyloxy, 3,5-difluorobenzyloxy, 3,5-dichlorobenzyloxy, 2,4-fluorobenzyloxy, or 2,4-dichlorobenzyloxy,
- (9) 4-pyridyloxy, 3-pyridyloxy, 2-pyridyloxy, 6-chloro-3-pyridyloxy, or 5-chloro-3-pyridyloxy,
- (10) amino, N-methylamino, N-ethylamino, N,N-dimethyamino, N,N-diethylamino,N,N-diisopropylamino, or N-containing heterocycloalkyl bonded via nitrogen selected from: pyrrolidinyl, and piperidinyl,
- (11) -NHCORa wherein Ra is selected from:
- (12) hydrogen, and
- (13) C₁₋₄alkyl,
- (14) -CN, and
- 25 (15) -SO₂CH₃;

R³ and R⁴ are each independently selected from:

- (1) 4-chlorophenyl,
- (2) 4-methoxyphenyl,
- (3) 4-fluorophenyl,
- 30 (4) 4-trifluoromethylphenyl,
 - (5) 3-chlorophenyl,
 - (6) 3-methoxyphenyl,
 - (7) 2,4-dichlorophenyl, and
 - (8) 2-chloro-4-methylthiophenyl;
- and pharmaceutically acceptable salts thereof.

9. The compound according to Claim 8, wherein:

 R^3 is 4-chlorophenyl and R^4 is 2,4-dichlorophenyl, and pharmaceutically acceptable salts thereof.

- 10. The compound according to Claim 1, selected from:
- (1) 2-(4-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;

5

- (2) 2-(4-fluorobenzyloxy)-4-(2-chloro-4-methylthiophenyl)-5-(4-chlorophenyl)-pyrimidine;
- (3) 2-(3,4-difluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- (4) 2-(3,4-difluorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;
- 10 (5) 2-(4-chlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (6) 2-(4-chlorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;
 - (7) 2-(3,4-dichlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (8) 2-(3,4-dichlorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;
 - (9) 2-(3-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- 15 (10) 2-(3-fluorobenzyloxy)-4-(2-chloro-4-methylthio-phenyl)-5-(4-chlorophenyl)-pyrimidine;
 - (11) 2-(3-chlorobenzylamino)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)-pyrimidine;
 - (12) 2-(n,n-dimethylamino)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (13) 2-amino-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (14) 2-carboxy-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- 20 (15) 2-methylthio-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (16) 2-methylthio-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)-pyrimidine; 2-methoxy-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (18) 2,4-dihydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 25 (19) 2-methylthio-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (20) 2-(3,4-difluorobenzyloxy)-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (21) 2-(3,4-difluorobenyloxy)-4-hydroxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 30 (22) 2,4-bis-(3,4-difluorobenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (23) 2,4-dimethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (24) 2,4-diethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (25) 2,4-diisopropoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (26) 2-methylsulfonyl-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

- (27) 2,4-bis(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (28) 2-cyano-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (29) 2-(3,4-difluorobenzyloxy)-4-cyano-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 5 (30) 2-cyano-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (31) 2,4-bis(cyano)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (32) 2-(3,4-difluorophenoxy)-4-methyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (33) 2-ethyl4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 10 (34) 2-isopropy-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (35) 2-(3,4-difluorobenzyloxy)-4-methyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (36) 2-(3,4-difluorobenzyloxy)-4-ethyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 15 (37) 2-(3,4-difluorobenzyloxy)-4-(n-methylamino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (38) 2-(3,4-difluorophenoxy)-4-amino-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (39) 2-(3,4-difluorobenzyloxy)-4-(amino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 20 (40) 2-(3,4-difluorophenoxy)-4-(acetylamino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

25

- (41) 2-(3,4-difluorobenzyloxy)-4-(acetylamino)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (42) 2-(3,4-difluorophenoxy)-4-(n-pyrrolidinyl)-5-[4-chlorophenyl]-6-[2,4-dichlorophenyl]pyrimidine;
- (43) 2-(cyclopropylmethoxy)-4-(n-pyrrolidinyl)-5-[4-chlorophenyl]-6-[2,4-dichlorophenyl]pyrimidine;
- (44) 2-(n,n-diethylamino)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 30 (45) 2-(n,n-diisopropylamino)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (46) 2-(n-pyrrolidyl)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (47) 2-(n-piperidyl)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

2 4

(48) 2-(n-morpholinyl)-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

- (49) 2-(7-n-[221]-azabicycloheptyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 5 (50) 2-(n-propionyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (51) 2-(n-(2-methyl)propionyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (52) 2-(n-(3-methyl)butyryl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (53) 2-(aminocarbonyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (54) 2-(carboxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

10

20

25

- 15 (55) 2-(2-hydroxyethyleneoxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (56) 2-(2-methoxyethyleneoxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (57) 2-(cyclohexylmethyloxy)-4-isopropoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (58) 2-cyclohexyloxy-4-isopropoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (59) 2-(3,4-difluorophenoxy)-4-cyclohexyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (60) 2-(3,4-difluorobenzyloxy)-4-cyclohexyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (61) 2,4-bis(cyclopropylmethyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (62) 2-cyclopropyloxy-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (63) 2-(n-pyrrolidinyl)-4-cyclopropyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (64) 2,4-bis(isopropyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (65) 2-(3,4-difluorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;
 - (66) 2-(4-chlorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;
 - (67) 2-(3-fluorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;
- 35 (68) 2-(3-chlorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;

- (69) 2-(4-fluorobenzyloxy)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;
- (70) 2-(α-methyl-4-fluorobenzyloxy-)-4-(4-chlorophenyl)-5-(2,4-dichlorophenyl)pyrimidine;
- (71) 2-(α-methyl-4-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- (72) 2-(3-pyridylmethoxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- 5 (73) 2-(n-butyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (74) 2-(2,4-dichlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (75) 2-(cyclohexylmethoxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (76) 2-(3,5-dichlorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (77) 2-(6-chloro-3-pyridylmethoxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- 10 (78) 2-(α,α-dimethyl-4-fluorobenzyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (79) 2-(4-fluorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (80) 2-(3-fluorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (81) 2-(3,4-difluorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- 15 (82) 2-(3-chlorophenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (83) 2-(4-methoxyphenyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (84) 2-(3-pyridyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (85) 2-(5-chloro-3-pyridyloxy)-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (86) 2-(n-(4-fluorobenzamido))-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
- 20 (87) 2-(n-(cyclohexylcarboxamido))-4-(2,4-dichlorophenyl)-5-(4-chlorophenyl)pyrimidine;
 - (88) 2,4-bis(cyclobutylmethoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (89) 2-cyclobutylmethoxy-4-(6-fluoro-3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (90) 2-cyclobutylmethoxy-4-(5-chloro-3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (91) 2-methylsulfonyl-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

- (92) 2-cyclobutylmethoxy-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 30 (93) 2-(2,2-dimethylpropyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (94) 2-(2-t-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (95) 2-(2-cyclobutyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 35 (96) 2-(n-propyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

- (97) 2-(n-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (98) 2-(sec-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (99) 2-(iso-butyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (100) 2-(isopropyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 5 (101) 2-(n-pentyloxy)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (102) 2-cyclopropyloxy-4-(4-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

10

- (103) 2,4-bis-(4-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (104) 2-(isobutyloxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (105) 2-(cyclopropylmethoxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (106) 2-(isopropyloxy)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 15 (107) 2-ethoxy-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (108) 2-(n-pyrrolidinyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (109) 2-(n,n',n'-trimethyl-ethylenediamino)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 20 (110) 2-(n-piperidyl)-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (111) 2-(n-morpholinyl)-ethylenediamino-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (112) 2-dimethylamino-4-(3,4-difluorophenoxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (113) 2-(n-pyrrolidinyl)-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (114) 2-methylsulfonyl-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 30 (115) 2-(2-isopropyloxy)-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (116) 2-(2-trimethyldiaimoloxy)-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (117) 2-(2-pyrrolindyl)-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 35 (118) 2-(methylsulfonyl)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

(119) 2-methoxy-4-(methylsulfonyl)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

- (120) 2-(3,4-difluorophenyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (121) 2-methoxy-4-(3,4-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

5

- (122) 2-(3-fluorophenyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (123) 2-methoxy-4-(3-fluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (124) 2-methoxy-4-(2-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- (125) 2-(2-pyridyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 10 (126) 2-(5-chloro-3-pyridyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (127) 2-methoxy-4-(5-chloro-3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (128) 2-(3-pyridyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 15 (129) 2-methoxy-4-(3-pyridyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (130) 2-methoxy-4-(4-fluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (131) 2-methoxy-4-(3,5-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (132) 2-methoxy-4-(3-cyanophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 20 (133) 2-(3,4-difluorobenzyloxy)-4-methoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (134) 2-methoxy-4-(3,4-difluorobenzyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (135) 2-(methylsulfonyl)-4-ethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 25 (136) 2-ethoxy-4-(methylsulfonyl)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (137) 2-(3,4-difluorobenzyloxy)-4-ethoxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (138) 2-ethoxy-4-(3,4-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 30 (139) 2-(methylsulfonyl)-4-isopropyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (140) 2-isopropyloxy-4-(methylsulfonyl)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (141) 2-(3,4-difluorobenzyloxy)-4-isopropyloxy-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

(142) 2-isopropyloxy-4-(3,4-difluorophenyloxy)-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;

- (143) 2-(3,4-difluorobenzyloxy)-4-pyrrolidinyl-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
- 5 (144) 2-(3,4-difluorobenzyloxy)-4-diethylamino-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine; and
 - (145) 2-(3,4-difluorobenzyloxy)-4-dimethylamino-5-(4-chlorophenyl)-6-(2,4-dichlorophenyl)pyrimidine;
 - (146) 2-(3,4-difluorophenoxy)-4-methoxy-5-(4-fluorophenyl)-6-[2, 4-dichlorophenyl]pyrimidine;
 - (147) 2-(3,4-difluorophenoxy)-4-methoxy-5-(4-methoxyphenyl)-6-[2, 4-dichlorophenyl]pyrimidine;
 - (148) 2-(3,4-difluorophenoxy)-4-methoxy-5-(4-trifluoromethylphenyl)-6-[2, 4-dichlorophenyl]pyrimidine;
- 15 (149) 2-(3,4-difluorophenoxy)-4-methoxy-5-(3-chlorophenyl)-6-[2, 4-dichlorophenyl]pyrimidine;
 - (150) 2-(3,4-difluorophenoxy)-4-methoxy-5-(3-methoxyphenyl)-6-[2, 4-dichlorophenyl]pyrimidine. and pharmaceutically acceptable salts thereof.

20

25

30

- 11. A method of treating a disease mediated by the Cannabinoid-1 receptor comprising administration to a patient in need of such treatment of a therapeutically effective amount of a compound according to Claim 1.
- 12. The method according to Claim 11 wherein the disease mediated by the Cannabinoid-1 receptor is selected from: psychosis, memory deficit, cognitive disorders, migraine, neuropathy, neuro-inflammatory disorders, cerebral vascular accidents, head trauma, anxiety disorders, stress, epilepsy, Parkinson's disease, schizophrenia, substance abuse disorders, constipation, chronic intestinal pseudo-obstruction, cirrhosis of the liver, asthma, obesity, and other eating disorders associated with excessive food intake.
 - 13. The method according to Claim 12 wherein the disease mediated by the Cannabinoid-1 receptor is an eating disorder associated with excessive food intake.

14. The method according to Claim 13 wherein the eating disorder associated with excessive food intake is selected from obesity, bulimia nervosa, and compulsive eating disorders.

- 5 15. The method according to Claim 14 wherein the eating disorder associated with excessive food intake is obesity.
 - 16. A method of preventing obesity in a person at risk for obesity comprising administration to said person of about 0.001 mg to about 100 mg per kg of a compound according to Claim 1.
 - 17. A composition comprising a compound according to Claim 1 and a pharmaceutically acceptable carrier.
 - 18. The use of a compound according to Claim 1, for the manufacture of a medicament useful for the treatment of a disease mediated by the Cannabinoid-1 receptor in a human patient in need of such treatment.
- 19. The use according to Claim 18 wherein the disease mediated by the Cannabinoid-1 receptor is selected from: psychosis, memory deficit, cognitive disorders, migraine, neuropathy, neuro-inflammatory disorders, cerebral vascular accidents, head trauma, anxiety disorders, stress, epilepsy, Parkinson's disease, schizophrenia, substance abuse disorders, constipation, chronic intestinal pseudo-obstruction, cirrhosis of the liver, asthma, obesity, and other eating disorders associated with excessive food intake.
 - 20. The use according to Claim 19 wherein the disease mediated by the Cannabinoid-1 receptor is an eating disorder associated with excessive food intake.
- 21. The use according to Claim 20, wherein the eating disorder associated with excessive food intake is selected from obesity, bulimia nervosa, and compulsive eating disorders.
 - 22. The use according to Claim 21 wherein the eating disorder associated with excessive food intake is obesity.

25

10

23. The use of a compound according to Claim 1 for the manufacture of a medicament for the prevention of obesity in a person at risk therefor.